

Message

From: Rosenblatt, Daniel [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=AEEDBDCE1DD0473AAB1628C69953F724-DANIEL J. ROSENBLATT]
Sent: 11/19/2021 5:38:18 PM
To: Kaul, Monisha [Kaul.Monisha@epa.gov]; Tindall, Kelly [tindall.kelly@epa.gov]
Subject: FW: AAPCO - 249c) Letter ASCPRO - NPMA Device Concerns
Attachments: AAPCO 24(c) 7132021.pdf

Monisha – Kelly – I added a couple lines to the dicamba review that cite to this letter. TJ put some comments on it suggesting it was a low priority topic – so definitely understand if the content changes or it gets removed. But wanted to be sure you had this handy in case you do end up including it.

From: Cyran, Carissa <Cyran.Carissa@epa.gov>
Sent: Wednesday, July 14, 2021 9:30 AM
To: Richmond, Jonah <Richmond.Jonah@epa.gov>; Dinkins, Darlene <Dinkins.Darlene@epa.gov>; Messina, Edward <Messina.Edward@epa.gov>; Goodis, Michael <Goodis.Michael@epa.gov>; Tindall, Kelly <tindall.kelly@epa.gov>; Echeverria, Marietta <Echeverria.Marietta@epa.gov>; Rosenblatt, Daniel <Rosenblatt.Dan@epa.gov>; Aubee, Catherine <Aubee.Catherine@epa.gov>
Cc: Slotkin, Zachary <Slotkin.Zachary@epa.gov>
Subject: Re: AAPCO - 249c) Letter ASCPRO - NPMA Device Concerns

Adding Zach, who handles OCSPF correspondence.

From: Richmond, Jonah <Richmond.Jonah@epa.gov>
Sent: Wednesday, July 14, 2021 8:54 AM
To: Dinkins, Darlene <Dinkins.Darlene@epa.gov>; Messina, Edward <Messina.Edward@epa.gov>; Goodis, Michael <Goodis.Michael@epa.gov>; Tindall, Kelly <tindall.kelly@epa.gov>; Echeverria, Marietta <Echeverria.Marietta@epa.gov>; Rosenblatt, Daniel <Rosenblatt.Dan@epa.gov>; Aubee, Catherine <Aubee.Catherine@epa.gov>; Cyran, Carissa <Cyran.Carissa@epa.gov>
Subject: FW: AAPCO - 249c) Letter ASCPRO - NPMA Device Concerns

Please see the attached incoming from AAPCO.

Jonah

Jonah Richmond
Special Assistant
Office of Chemical Safety and Pollution Prevention
U.S. Environmental Protection Agency
Mobile: (202) 748-6012

From: Freedhoff, Michal <Freedhoff.Michal@epa.gov>
Sent: Wednesday, July 14, 2021 8:26 AM
To: Richmond, Jonah <Richmond.Jonah@epa.gov>
Subject: FW: AAPCO - 249c) Letter ASCPRO - NPMA Device Concerns

Michal Ilana Freedhoff, Ph.D.
Assistant Administrator

Office of Chemical Safety and Pollution Prevention
U.S. Environmental Protection Agency
Freedhoff.Michal@epa.gov

From: Jones, Patrick <patrick.jones@ncagr.gov>

Sent: Wednesday, July 14, 2021 8:09 AM

To: Regan, Michael <Regan.Michael@epa.gov>

Cc: Freedhoff, Michal <Freedhoff.Michal@epa.gov>; Messina, Edward <Messina.Edward@epa.gov>; Keigwin, Richard <Keigwin.Richard@epa.gov>; O'Neill, Sandra <ONeill.Sandra@epa.gov>; Tindall, Kelly <tindall.kelly@epa.gov>

Subject: AAPCO - 249c) Letter ASCPRO - NPMA Device Concerns

On behalf of the Association of American Pesticide Control Officials (AAPCO), we submit the attached document addressing our concerns with the current status of the 24 (c) Special Local Need Registrations. We are concerned with the recent in shift of not allowing States with needed flexibility to provide growers with needed tools to combat diseases and weed pests.

If you have any questions, please let us know. We would be happy to further discuss our concerns if needed.

Sincerely, Patrick Jones
AAPCO President

Deputy Director of Pesticide Programs
North Carolina Dept. of Agriculture and Consumer Services
Structural Pest Control and Pesticides Division
1090 Mail Service Center
Raleigh, NC 27699-1090
Direct Dial (919) 857-4143
Cell (336) 496-7106

